

Cool, Cool Cello Cool !

cello[®]

AIR COOLER



Cello Air Coolers

*Wide product range across all categories;
International quality & audit standard*

Cooler Features

Cello has a wide range of air coolers to keep you cool both indoors and outdoors. A variety of features like the remote controlled digital operations, intelligently designed timer settings, humidity control and an indicator that notifies you when your water level runs low, provide you with uninterrupted cooling. An in-built four way castor wheels allows anyone to move the air cooler around easily from room to room, like a trolley bag!


For refreshing cool air, plug in and start!

Cello Air Coolers involve no installation costs. These air coolers are designed in such a way that they are easy to maintain and rarely require expensive repair and maintenance. The screw-less cooling pad sections are so easy to take out for cleaning that you don't even need a screwdriver!

Close your eyes and.... breathe

Cello Air Cooler draws in air from outdoors, filters it and cools down the temperature indoors in a matter of minutes. Just imagine a cool breeze by the lake that carries cool, refreshing air. Cello Air Coolers work on the same concept of evaporative cooling and refreshes the mind and the body with a cool, soothing breeze.

Evaporative Air cooling Mechanism





Desert
Never feel the heat

i smart



Technology

Digital



Remote Control

Water Tank



Low level Indicator



Multi Cool +
i smart Honeycomb
60 L Water Tank

Multi Cool

- *i-smart* technology for digital controlled operations
- Engg-Plastic fan 457mm / 18"
- Water Inlet From Front Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Also available without Remote

low wattage



consumption

efficient



surround cooling

4600m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto 45Ft

also works on



Inverter



Marvel +
Honeycomb
60 L Water Tank

Digital



Remote Control

Water Tank



Low level Indicator

Marvel

- Engg-Plastic 457mm / 18"fan
- Water Inlet From Front Side
- Extra thick Honeycomb pad
- Low Water level Alarm for optimum performance
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Also available without Remote

low wattage



consumption

efficient



surround cooling

5000m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto 54Ft

also works on



Inverter



Wave
Wood Wool
50 L Water Tank

Wave

- Engg-Plastic fan 406mm / 16"
- Water Inlet From Front and Back Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

low wattage



consumption

efficient



surround cooling

3500m³/hr



air delivery with 3 speed motor

can be used



inside or out

powerful



air throw upto 42Ft

also works on



Inverter

Water Tank



Low level Indicator



Ossum 50+
Honeycomb
50 L Water Tank

Ossum

- Engg-Plastic fan 457mm / 18"
- Full Function Remote With Timer
- Low Water level Alarm for optimum performance
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Also available without Remote

Digital



Remote Control

low wattage



consumption

efficient



surround cooling

5000m³/hr



air delivery with 3 speed motor

can be used



inside or out

powerful



air throw upto 54Ft

also works on



Inverter





Igloo+
Honeycomb
50 L Water Tank

- Digital Remote Control
- Water Tank Low Level Indicator

Igloo

- Engg-Plastic fan 406mm / 16"
- Low Water Level Alarm
- Water Inlet From Back Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Also available without Remote

- low wattage consumption
- efficient surround cooling
- 3500m³/hr air delivery with 3 speed motor
- can be used inside or out
- powerful air throw upto 40Ft
- also works on Inverter

Alps 60
60 L Water Tank | Honeycomb



Alps 45
45 L Water Tank | Honeycomb



Alps

- Engg-Plastic fan 406 mm / 16"
- Water Inlet From Back Side
- Optimum Cooling
- Powerful air throw
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

- low wattage consumption
- efficient surround cooling
- 4200m³/hr air delivery with 3 speed motor
- can be used inside or out
- powerful air throw upto 40Ft
- also works on Inverter

Smart 30 +
Honeycomb | 30 L Water Tank



Smart 22 +
Honeycomb | 22 L Water Tank



- Digital Remote Control
- Water Tank Low Level Indicator
- also works on Inverter

Smart

- Engg-Plastic fan 355mm / 14"
- Water Inlet From Top and Back Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility
- Adjustable Humidity Control to Increase Cooling Efficiency

Also available without Remote

- low wattage consumption
- efficient surround cooling
- 2200m³/hr air delivery with 3 speed motor
- can be used inside or out
- powerful air throw upto 35Ft



Window
Turn On The Winter

Artic 75
Wood Wool | 75 L Water Tank



Artic 50
Wood Wool | 50 L Water Tank



- low wattage

consumption
- efficient

surround cooling
- 5000m³/hr

air delivery with 3 speed motor
- can be used

inside or out
- powerful

air throw upto 50Ft
- also works on

Inverter

Free Trolley

Artic

- Engg-Plastic fan 457mm / 18"
- Water Inlet From Back Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Trolley Optional
- Multidirectional Castor Wheels for easy mobility

Available only without Remote



- HUMIDITY CONTROL
- 3 DIRECTIONAL AIRFLOW
- 3 D AIR COOLER
- MULTIPURPOSE FREE TROLLEY

Free Trolley

Swift 50
50 L Water Tank
Wood Wool

- low wattage

consumption
- efficient

surround cooling
- 2000m³/hr

air delivery with 3 speed motor
- can be used

inside or out
- powerful

air throw upto 45Ft
- also works on

Inverter

Swift

- Engg-Plastic 205mm / 08" Blower
- Water Inlet From Front Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Adjustable Humidity Control to Increase Cooling Efficiency
- Multipurpose Free Trolley
- Multidirectional Castor Wheels for easy mobility

Available only without Remote



Personal
A cool new generation

Tower 50 +
Honeycomb | 50 L Water Tank

Tower 25 +
Honeycomb | 25 L Water Tank

Tower 15
Honeycomb | 15 L Water Tank



- Digital**

Remote Control
- low wattage**

consumption
- efficient**

surround cooling
- 1800m³/hr**

air delivery
with 3 speed motor
- can be used**

inside or out

Tower

- Sleek and stylish design for individual use
- Ice chamber for faster cooling purpose
- Engg-Plastic Blower 180mm / 7"
- Water Inlet From Top And Back side.
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

- powerful**

air throw upto 35Ft
- also works on**

Inverter
- Water Tank**

Low Level Indicator

Trendy 30 +
Honeycomb | 30 L Water Tank

Trendy 22 +
Honeycomb | 22 L Water Tank



- Digital**

Remote Control
- Water Tank**

Low Level Indicator
- powerful**

air throw upto 32Ft

Trendy

- Engg-Plastic Blower 180mm / 7"
- Water Inlet From top and Back Side
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility
- Adjustable Humidity Control to Increase Cooling Efficiency

Also available without Remote

- low wattage**

consumption
- efficient**

surround cooling
- 1400m³/hr**

air delivery
with 3 speed motor
- can be used**

inside or out
- also works on**

Inverter



Gem
Honeycomb
22 L Water Tank

Gem

- Engg-Plastic fan 280 mm / 11"
- Water Inlet From Top Side
- Optimum Cooling with 3-side Honeycomb Pads
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

low wattage



consumption

efficient



surround cooling

2000m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto 30Ft

also works on



Inverter



Pearl
Honeycomb
22 L Water Tank

Pearl

- Engg-Plastic Blower 127mm / 5"
- Water Inlet From Top Side
- Optimum Cooling with 3-side Honeycomb Pads
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility

Available only without Remote

low wattage



consumption

efficient



surround cooling

1250m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto 25Ft

also works on



Inverter



Dura Cool +
Honeycomb
30 L Water Tank

Digital



Remote Control

Water Tank



Low level Indicator

Dura Cool

- Compact design to occupy minimal space
- Engg-Plastic Blower 180mm / 7"
- Optimum Cooling
- Low Noise Level
- Motorised Louvers 4 way deflection
- Multidirectional Castor Wheels for easy mobility
- Adjustable Humidity Control to Increase Cooling Efficiency

Also available without Remote

low wattage



consumption

efficient



surround cooling

1400m³/hr



air delivery
with 3 speed motor

can be used



inside or out

powerful



air throw upto 32Ft

also works on



Inverter

USAGE OF AIR COOLER



BEDROOM



GARDEN



OFFICE



RESTAURANT

S P E C I F I C A T I O N S

D E S E R T

Description :	Multi Cool i-smart*	Marvel +	Wave	Ossum +	Igloo +	Alps 60	Alps 45	Smart 30+	Smart 22+
Remote control	Yes	Yes	-	Yes	Yes	-	-	Yes	Yes
Type	Desert	Desert	Desert	Desert	Desert	Desert	Desert	Mini Desert	Mini Desert
Rated Voltage 230/50Hz.Ac	185 W	185 W	170 W	185 W	170 W	170 W	170 W	150 W	150 W
Tank Capacity	60 Ltrs.	60 Ltrs.	50 Ltrs.	50 Ltrs.	50 Ltrs.	60 Ltrs.	45 Ltrs.	30 Ltrs.	22 Ltr.
Air Deflection	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way
Motorised Louver	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
Air Throw Distance Ft	45	54	42	54	40	40	40	35	35
Mosquito / Filter Net Engg. Plastic	-	-	Yes	-	-	-	-	Yes / -	Yes / -
(Blower/Fan)	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan
(Blower/Fan) Dia (mm/inch)	457 / 18	457 / 18	406 / 16	457 / 18	406 / 16	406 /16	406 /16	355 / 14	355 / 14
Air Nominal Capacity	4600M3/hr	5000M3/hr	3500M3/hr	5000M3/hr	3500M3/hr	4200M3/hr	4200M3/hr	2200M3/hr	2200M3/hr
No. of Speed	Three	Three	Three	Three	Three	Three	Three	Three	Three
Cooling Media	Honeycomb	Honeycomb Wood Wool	Wood Wool	Honeycomb Wood Wool	Honeycomb Wood Wool	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Empty Tank Alarm	Yes	Yes	-	Yes	Yes	-	-	Yes	Yes
Timer	Yes	Yes	-	Yes	Yes	-	-	Yes	Yes
Portability	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber	-	-	-	-	-	Yes	Yes	Yes	Yes
Humidity Control	-	-	-	-	-	-	-	Yes	Yes
Auto Fill Water Inlet	-	-	-	-	-	Yes	Yes	-	-
Product Weight (Kgs)	14.5 Kg	13.5 Kg	12 Kg	14.5 Kg	14.5 Kg	15 Kg	14.5 Kg	11 Kg	10.5 Kg
Product (L)	660	620	610	685	652	640	640	550	550
Dimensions (W)	520	425	522	525	525	440	440	400	400
In mm (H)	1090/1150 (W/Castor)	1050	1000/1060 (W/Castor)	1010	1010/1070 (W/Castor)	1020	900	800	750/800 (W/Castor)
Carton OD (L)	705	690	680	705	705	695	695	610	610
Dimention (W) in mm (H)	560 1135	480 1110	555 1070	567 1090	567 1090	475 1065	475 945	450 850	450 795
Qty for 40 th HC Container	136	164	136	136	136	168	168	291	291
Mixing of other models to optimize container	60	48	48	72	60	48	48	194	194
Total in 1x40 ft HC	196	212	184	208	196	216	216	485	485

Multi Cool i smart Technology for digital controlled operations*

S P E C I F I C A T I O N S

W I N D O W			P E R S O N A L							
Arctic 75	Artic 50	Swift	Tower 50+	Tower 25+	Tower 15	Trendy 30+	Trendy 22+	Gem 22	Pearl 22	Dura Cool
-	-	-	Yes	Yes	-	Yes	Yes	-	-	Yes
Window	Window	Window	Tower	Tower	Tower	Personal	Personal	Personal	Personal	Personal
185 W	185 W	200 W	180 W	180 W	180 W	180 W	180 W	100 W	100 W	180 W
75 Ltrs.	50 Ltrs.	50 Ltrs.	50 Ltrs.	25 Ltrs.	15 Ltrs.	30 Ltrs.	22 Ltr.	22 Ltrs.	22 Ltrs.	30 Ltrs.
Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way	Four Way
Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
50	50	45	35	35	35	32	32	30	25	32
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-	Yes
Fan	Fan	Blower	Blower	Blower	Blower	Blower	Blower	Fan	Blower	Blower
457 / 18	457 / 18	205/08	180/7	180/7	180/7	180 / 7	180 / 7	280 / 11	127 / 5	180 / 7
5000M3/hr	5000M3/hr	2000 M3/hr	1800 M3/hr	1800 M3/h	1800 M3/h	1400M3/hr	1400M3/hr	2000M3/hr	1250M3/hr	1400M3/hr
Three	Three	Three	Three	Three	Three	Three	Three	Three	Three	Three
Wood Wool	Wood Wool Wood Wool	Wood Wool	Honeycomb Wood Wool	Honeycomb Wood Wool	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
-	-	-	Yes	Yes	-	Yes	Yes	-	-	Yes
-	-	-	Yes	Yes	-	Yes	Yes	-	-	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	Yes	-	-	-	Yes	Yes	-	-	Yes
Yes	Yes	Yes	-	-	-	-	-	-	-	-
18 Kg	17.5 Kg	12.7 kg	10.5 kg	9.50 Kg	9.00 kg	11 kg	10.5 Kg	8.5 kg	8.5 kg	8.5 kg
670	670	700	360	360	360	550	550	470	470	500
635	635	580	330	330	330	400	400	365	365	385
890	825	575/985 (W/Trolley)	1280	980	880	800/850 (W/Castor)	750	680	680	850
700	700	775	425	405	405	610	610	530	530	570
695	695	645	360	347	347	450	450	405	405	420
960	875	680	1325	1030	915	850	795	725	725	900
102	153	162	356	388	388	291	291	372	372	325
52	84	48	124	80	80	194	194	78	78	44
154	237	210	480	468	468	485	485	450	450	369



i smart
Technology



Turbo
Cooling



Low wattage
consumption



Efficient
surround cooling



also works on
Inverter



can be used
Inside or out



Powerful
air throw



Cool, Cool Cello Cool !



www.cellocoolers.com



digital model

For best performance

analog model



Keep window
or door open



Switch on
COOLING mode



Ensure water
level in tank



Replace cooling
pads annually



Keep window
or door open



Switch on
COOLING mode



Ensure water
level in tank



Replace cooling
pads annually

cello Wim Plast Ltd.

H.O.: Cello House, Corporate Avenue, 1st Floor, 'B' wing, Sonawala Road, Goregaon (East), Mumbai - 400063, India.
Email : cellocoolers@celloworld.com | Phone +91-22 26863426 | 27 +91-22 26864630 | Fax + 91-22 26863681